Montana Board of Oil and Gas Conservation Environmental Assessment

Well Name/Number: Levengood 3-5H
Well Name/Number. Levengood 5-5H
Location: (NW NW) Lot 4 Section 5 T23N R53E
County: Richland, MT; Field (or Wildcat) W/C (Bakken Horizontal)
A1 . O 17
Air Quality
(possible concerns) Long drilling time: No, 15 to 25 days drilling time.
Unusually deep drilling (high horsepower rig): No, triple derrick rig to drill a single lateral
horizontal Bakken Formation test, 14,059'MD/9,269'TVD.
Possible H2S gas production: Slight chance H2S gas from Mississippian Formations.
In/near Class I air quality area: No, no Class I air quality area nearby.
Air quality permit for flaring/venting (if productive): Yes, DEQ air quality permit required
under 75-2-211.
Mitigation:
X Air quality permit (AQB review)
Gas plants/pipelines available for sour gas
Special equipment/procedures requirements
Other:
Comments: No special concerns – using triple rig to drill a single lateral
horizontal Bakken Formation test, 14,059'MD/9,269'TVD. If there is an existing
gathering system for natural gas in the area, then associated gas can be gathered or if
no gathering system nearby gas can be flared under Board Rule 36.22.1220.
Water Quality
(possible concerns)
Salt/oil based mud: Yes to intermediate casing string hole will be drilled with oil based
invert drilling fluids (oil/water ratio of 70/30 to 80/20). Horizontal lateral will be drilled
with brine water. Surface casing hole will use freshwater and freshwater mud system
(Rule 36.22.1001).
High water table: No high water table anticipated at this location.
Surface drainage leads to live water: No, nearest drainages are an unnamed
anhamaral tributany drainaga ta Fast Dadwatar Crask, ahayt 1/4 of a mila ta tha
ephemeral tributary drainage to East Redwater Creek, about 1/4 of a mile to the
southeast and East Redwater Creek, about 5/16 of a mile to the southwest from this
southeast and East Redwater Creek, about 5/16 of a mile to the southwest from this location.
southeast and East Redwater Creek, about 5/16 of a mile to the southwest from this location. Water well contamination: None, closest water well is about ½ of a mile to the
southeast and East Redwater Creek, about 5/16 of a mile to the southwest from this location. Water well contamination: None, closest water well is about ½ of a mile to the southwest from this location. Depth of this stock water well is 60'. Surface hole will be
southeast and East Redwater Creek, about 5/16 of a mile to the southwest from this location. Water well contamination: None, closest water well is about ½ of a mile to the southwest from this location. Depth of this stock water well is 60'. Surface hole will be drilled with freshwater and freshwater mud system, Rule 36.22.1001. Surface casing
southeast and East Redwater Creek, about 5/16 of a mile to the southwest from this location. Water well contamination: None, closest water well is about ½ of a mile to the southwest from this location. Depth of this stock water well is 60'. Surface hole will be drilled with freshwater and freshwater mud system, Rule 36.22.1001. Surface casing will be set at 1300' and cemented to surface.
southeast and East Redwater Creek, about 5/16 of a mile to the southwest from this location. Water well contamination: None, closest water well is about ½ of a mile to the southwest from this location. Depth of this stock water well is 60°. Surface hole will be drilled with freshwater and freshwater mud system, Rule 36.22.1001. Surface casing will be set at 1300° and cemented to surface. Porous/permeable soils: No, silty sandy clay soils.
southeast and East Redwater Creek, about 5/16 of a mile to the southwest from this location. Water well contamination: None, closest water well is about ½ of a mile to the southwest from this location. Depth of this stock water well is 60'. Surface hole will be drilled with freshwater and freshwater mud system, Rule 36.22.1001. Surface casing will be set at 1300' and cemented to surface. Porous/permeable soils: No, silty sandy clay soils. Class I stream drainage: No Class I stream drainages in the area of review.
southeast and East Redwater Creek, about 5/16 of a mile to the southwest from this location. Water well contamination: None, closest water well is about ½ of a mile to the southwest from this location. Depth of this stock water well is 60'. Surface hole will be drilled with freshwater and freshwater mud system, Rule 36.22.1001. Surface casing will be set at 1300' and cemented to surface. Porous/permeable soils: No, silty sandy clay soils. Class I stream drainage: No Class I stream drainages in the area of review. Mitigation:
southeast and East Redwater Creek, about 5/16 of a mile to the southwest from this location. Water well contamination: None, closest water well is about ½ of a mile to the southwest from this location. Depth of this stock water well is 60'. Surface hole will be drilled with freshwater and freshwater mud system, Rule 36.22.1001. Surface casing will be set at 1300' and cemented to surface. Porous/permeable soils: No, silty sandy clay soils. Class I stream drainage: No Class I stream drainages in the area of review. Mitigation: Lined reserve pit
southeast and East Redwater Creek, about 5/16 of a mile to the southwest from this location. Water well contamination: None, closest water well is about ½ of a mile to the southwest from this location. Depth of this stock water well is 60'. Surface hole will be drilled with freshwater and freshwater mud system, Rule 36.22.1001. Surface casing will be set at 1300' and cemented to surface. Porous/permeable soils: No, silty sandy clay soils. Class I stream drainage: No Class I stream drainages in the area of review. Mitigation: Lined reserve pit X Adequate surface casing
southeast and East Redwater Creek, about 5/16 of a mile to the southwest from this location. Water well contamination: None, closest water well is about ½ of a mile to the southwest from this location. Depth of this stock water well is 60'. Surface hole will be drilled with freshwater and freshwater mud system, Rule 36.22.1001. Surface casing will be set at 1300' and cemented to surface. Porous/permeable soils: No, silty sandy clay soils. Class I stream drainage: No Class I stream drainages in the area of review. Mitigation: Lined reserve pit

X Other: Lined cuttings pit will be used since this is a closed loop mud system to be employed. Comments: 1300' of surface casing enough to cover the base of the Fox Hills and cemented to surface adequate to protect freshwater zones, Rule 36.22.1001. Soils/Vegetation/Land Use (possible concerns) Steam crossings: No stream crossings anticipated, but will cross unnamed ephemeral High erosion potential: Possible high erosion potential on moderate cut slope at this location. The location will require a moderate cut, up to 18.0' and small fill, up to 8.3'. reauired. Loss of soil productivity: No, location will be restored after drilling if unproductive. If productive, unused portion of this drilling location will be restored. Unusually large wellsite: No a very large wellsite, 400'X525' location size required for a 3 well pad, Levengood 3-5H, Levengood 4-5H and Levengood 5-5H. Damage to improvements: Slight, surface use is cultivated land. Conflict with existing land use/values: Slight Mitigation ___ Avoid improvements (topographic tolerance) Exception location requested X Stockpile topsoil Stream Crossing Permit (other agency review) X Reclaim unused part of wellsite if productive ___ Special construction methods to enhance reclamation Other Access will be over existing county road, #317 and existing lease Comments: road. About 2556' of new access road will be built into this location from the Levengood

Comments: Access will be over existing county road, #317 and existing lease road. About 2556' of new access road will be built into this location from the Levengood 2-5H well location. Cuttings will be buried in the lined cuttings pit. Oil based drilling fluids will be recycled. Reserve pit fluids will be hauled to a commercial disposal. Pit will be allowed to dry and then closed by filling in with clay subsoils. No special concerns.

Health Hazards/Noise

(possible concerns)

Proximity to public facilities/residences: <u>No residences within a 1 mile radius from this location</u>. The town of Richey, Montana is about 11 miles to the southwest from this location.

Possibility of H2S: Slight chance of H2S from Mississippian Formations.

Size of rig/length of drilling time: <u>Triple drilling rig/short, 15 to 25 days drilling time.</u>
Mitigation:

X Proper BOP equipment

- __ Topographic sound barriers
- H2S contingency and/or evacuation plan
- Special equipment/procedures requirements
- X Other: Standard H2S safety equipment for the drilling of this well, rule 36.22.1014.

Comments: Adequate surface casing cemented to surface with an operational BOP stack (annular and double ram (pipe and blinds) rated for 5,000 psig) should mitigate any problems. Rule 36.22.1014.

Wildlife/recreation

(possible concerns)
Proximity to sensitive wildlife areas (DFWP identified): Fox Lake State Game
Management Area is about 15.25 miles to the southeast from this location.
Proximity to recreation sites: Fox Lake State Game Management Area is about 15.25
miles to the southeast from this location.
Creation of new access to wildlife habitat: No
Conflict with game range/refuge management: No
Threatened or endangered Species: Species identified as threatened or endangered
are the Pallid Sturgeon, Interior Least Tern, Whooping Crane and Piping Plover.
Candidate specie is the Sprague's Pipit and the Greater Sage Grouse. NH tracker
website indicate zero (0) species of concern in this township and range.
Mitigation:
Avoidance (topographic tolerance/exception)
Other agency review (DFWP, federal agencies BLM, DNRC/TLMD)
Screening/fencing of pits, drillsite
Other:
Comments: Private cultivated surface lands. There may be species of concern
that may be impacted by this wellsite. We ask the operator to consult with the surface
owner as to what he would like done, if a species of concern is discovered at this
location. No concerns.

Historical/Cultural/Paleontological
(possible concerns)
Proximity to known sites: None identified.
Mitigation
avoidance (topographic tolerance, location exception)
other agency review (SHPO, DNRC/TLMD, federal agencies BLM)
Other:
Comments: Private cultivated surface lands. There may be possible
historical/cultural/paleontological sites that maybe impacted by this wellsite. We ask the
operator to consult with the surface owner as to his desires to preserve these sites or
not, if they are found during construction of the wellsite.
<u> </u>
Social/Economic
(possible concerns)
Substantial effect on tax base
Create demand for new governmental services
Population increase or relocation
Comments: Wildcat well. No concerns.
Remarks or Special Concerns for this site

Summary: Evaluation of Impacts and Cumulative effects

<u>Continental will drill a single lateral Bakken Formation horizontal well test, 14,059'MD/9,269'TVD. No special concerns.</u>

No significant long term impacts expected, some short term impacts will occur.

I conclude that the approval of the subject Notice of Intent to Drill (does/<u>does not</u>) constitute a major action of state government significantly affecting the quality of the human environment, and (does/<u>does not</u>) require the preparation of an environmental impact statement.

Prepared by (BOGC): /s/Steven Sasaki
(title:) Chief Field Inspector
Date: April 27, 2013
Other Persons Contacted:
Montana Bureau of Mines and Geology, GWIC website
(Name and Agency)
Water wells in Richland County
(subject discussed)
<u>April 27, 2013</u>
(date)
US Fish and Wildlife, Region 6 website
(Name and Agency)
ENDANGERED, THREATENED, PROPOSED AND CANDIDATE SPECIES
MONTANA COUNTIES, Richland County (subject discussed)
`
<u>April 27, 2013</u> (date)
(dato)
Montana Natural Heritage Program Website
(Name and Agency)
Heritage State Rank= S1, S2, S3 T23N R53E
(subject discussed)
April 27, 2013
(date)
Montana Cadastral Website
(Name and Agency)
Surface Ownership and surface use Section 5 T23N R53E
(subject discussed) April 27, 2013
(date)
(dato)
If location was inspected before permit approval:
Inspection date:
Inspector:
Others present during inspection: